



TITLE OF THE INVENTION:

'NEWFANE' CHERRYsm Cultivar
Prunus domestica 'New Fane'



Marked-up copy

FIELD OF THE INVENTION:

A new and distinct variety of sweet cherry tree that originated as a seedling of Prunus
avium in the breeding program of Cornell University and is hereinafter referred to as
'Newfane'^{cherry} sweet cherry. This new variety is unique because this is the first self-fertile,
yellow flesh-type, sweet cherry that has been made available to the commercial nursery
industry of the United States of America; and the fruit has several traits that make it
favorable for dual-purpose fresh market and processed uses.

Non-Fruitful 2nd.

SUMMARY OF THE INVENTION:

This new and distinct variety of sweet cherry was discovered in 1984 by Roger D. Way
(retired), a plant breeder at the New York State Agricultural Experiment Station, Geneva,
NY, a research unit of Cornell University, hereinafter referred to as Geneva Experiment
Station. By breeding methodology convention at the Geneva Experiment Station it was
designated as NY 13688. This selection was initially assigned Experiment Station
Breeding Record Number 75.304, a hybrid population of trees that resulted from
hybridizing the varieties 'Emperor Francis' x 'Stella'^{non-pat} in 1975, and this seedling was
designated as NY 13688 when it was planted in 1976 as part of a population of 433
siblings possessing the same parentage. The orchard location where the seedling was
grown and first noticed was designated as Crittenden Farm, Field Number 30, Row 5, Tree
010. This seedling was first noticed because in 1984 Cornell scientists purposely bagged
branches to isolate the flowers from pollinating insect visits and it cropped heavily inside
the bag, proving that it was self-fertile; and the fruit were light in flesh color and possessed

a ninety percent red blush. This skin coloration was considered as uncommon and potentially valuable for fresh market appeal of the fruit. The new variety has been propagated on Mazzard seedling, 'Mahaleb' seedling, 'Gisela 6', MxM 2' and 'MxM 60' rootstocks and remains true to the description herein.

non pat

non pat

USPP

USPP

USPP

8144

8144

8132

→ ^{insert} Differences to 'Emperor Francis' x 'Stella'

A BRIEF DESCRIPTION OF THE DRAWINGS:

The accompanying photographs show typical specimens of the new variety as depicted in color as nearly true as is reasonably possible in color illustrations of this character. These specimens were obtained at the Geneva Experiment Station, Geneva, New York.

FIG. 1. illustrates the intact fruit and foliage of the new variety at maturity.

FIG. 2. Illustrates the blossoms of the new variety.

A BOTANICAL DESCRIPTION OF THE PLANT:

A detailed description of the 'Newfane' sweet cherry cultivar follows using the Royal Horticultural Society of London Colour Chart for color identification except where general color terms are sufficient.

Locality of the original discovery and observations is the Crittenden Farm Research Orchard Number 30, Row 5, tree 010 (assigned the designation NY 13688), Geneva Experiment Station, Geneva, NY, U.S.A.

Parentage:

A hybrid seedling of the cross: 'Emperor Francis' x 'Stella'.

non pat

non pat

Tree:

Age of specimen: 25 years old.

Height: 5 M.

Width: 4.5 M.

Size: 68 cm in diameter at 100 cm above ground level.

Vigor: Medium.

Density: Medium.

Form: Upright spreading, with medium level of lateral branching.

Production: Heavy, 200 to 250 pounds per tree per season.

Bearing: Annual on spurs and on 3 to 4 bud positions located at the base of one year old shoots.

Disease resistance: Similar to 'Emperor Francis' in tolerance to brown rot fungus of the blossoms and fruit (rated 7 at Geneva on scale of 1, as worst, to 9, as best); also similar to 'Emperor Francis' in tolerance to bacterial canker of the tree and fruit (rated 8 at Geneva on scale of 1, as worst, to 9 as best); highly tolerant of black knot fungus of the wood.

Cold hardiness: Good, crops regularly in test orchards in commercial fruit districts of New York and Michigan.

Graft compatibility: Good, produces compatible graft unions with Mazzard seedling, Mahaleb seedling, 'Gisela 6', 'MxM 2' and 'MxM 60' cherry rootstocks.

Trunk:

Size: 68 cm in diameter at 100 cm above ground.

Surface: Bark is smooth with prominent lenticels.

Bark Color: Grayed Orange Group 166A where directly exposed to the sun.

Lenticels: Varying in length from 1.5 to 3.0 cm and width from 0.25 to 0.5 cm, prominent, horizontal, elliptical.

Lenticel Color: Grayed Orange 167 A.

> Branches!

Vegetative Buds:

Placement: At bud positions 4 and higher numbered from the base of new growth, and at tip of each fruit spur.

Appearance: Pointed and flatter than flower buds on previous season's annual growth of shoots.

Color: Yellow Green 144 B.

Leaves:

Size: 9.0 to 10.5 cm in length, 5.5 to 6.25 cm in width with petiole 6.0 to 6.5 cm in length.

Form: Symmetrical halves on both sides of central axis, asymmetrical tapering with taper from petiole to about three fourths of the length gradual to this its widest point and sharply tapered back to the apex.

Thickness: Medium.

Margin: Serrations regular and bluntly pointed.

Adaxile Surface: Green Group 137B.

Abaxile Surface: Yellow Green Group 148B.

Texture: Leathery with a crisp feeling.

Pubescence: None on either surface.

Petiole Length: 6.5 to 7 cm

Petiole Color: Adaxial Red Purple 59 A, abaxial Yellow Green 146 C.

Petiole Groove: Narrow.

Veination: Pinnate

Vein Color: Green 137 C on adaxial surface, Yellow Green 144 B on abaxial surface

Glands: 2 to 3 on petiole, globose tending to oblong, length 2.5 to 3mm, width 1mm.

Gland Color: Yellow Green 144 B with a blush of Green Orange 172 A.

7 Flower buds
Flowers:

Blooming period: Mid season, April 25 to April 28 in Geneva, New York

Presentation: Showy white.

Fertility: Self-fertile.

Pollen: Present, plentiful, good pollen source for pollenizing all other sweet cherries that bloom at the mid-season sequence, color Yellow 13B.

Corolla Diameter: 33 mm.

Number of Flowers per Cluster: 3 to 7.

Petals: Single, round, length 12 mm, width 12 mm, 5 in number, separate, margin wavy at apex, soft texture, White 155 D.

Peduncle: 4.2 mm. in length and 0.35 mm in width.

Filament: Length 8 mm, width .1 mm, White 155 D.

Anther: Profuse pollen, Yellow 13 B.

Sepals: 5 in number, Green 143 C, bluntly pointed at apex.

Fruit:

Maturity when described: Commercial ripeness, 17 degrees brix.

Date of first picking: Mid-season ripening, July 7 to 10th at Geneva, New York.

Size: weight: 9 g, length: 3.1 cm, width: 2.8 cm.

Form: Round-oblong appearance; fruit tapers from widest dimension on cheeks toward stigmatic scar and gives the appearance of slightly heart shape.

Stem: Length 37 mm, width 1.5 mm, color Green 143 B.

Stem scar: Dry when machine harvested without stems.

Stem cavity: Wide, not prone to concentric cracks from rain settling in the cavity.

ABSTRACT:

A new and distinct variety of sweet cherry tree, ^ДPrunus avium, originating as a hybrid seedling of the cross: 'Emperor Francis' ^{император} x 'Stella' ^{звезда}. This new variety is unique from its parents and other sweet cherries varieties because it is a light fleshed, light skinned variety that is suitable for brining uses and is self-fertile. ^{кормить}